Application No.	Applicant(s)	
10/050,175	KOJIMA ET AL.	
Examiner	Art Unit	
Stephen M. Brinich	2625	
(OR REMAINS) CLOSED in this apport of the appropriate communication	olication. If not included will be mailed in due course. THIS	е
	·	
3.		
6. ☐ Interview Summary Paper No./Mail Dat 7. ☑ Examiner's Amendn	(PTO-413), e nent/Comment	
	Examiner Stephen M. Brinich ars on the cover sheet with the co (OR REMAINS) CLOSED in this apport of the appropriate communication GHTS. This application is subject to and MPEP 1308. der 35 U.S.C. § 119(a)-(d) or (f). been received. been received in Application No cuments have been received in this communication to file a reply ENT of this application. ditted. Note the attached EXAMINER as reason(s) why the oath or declarate the submitted. on's Patent Drawing Review (PTO- as Amendment / Comment or in the Co and and a submitted of BIOLOGICAL MATERIAL in FOR THE DEPOSIT OF BIOLOGICAL 5. ☐ Notice of Informal P 6. ☐ Interview Summary Paper No./Mail Dat 7. ☐ Examiner's Amendment 8. ☐ Examiner's Statement 8. ☐ Examiner's Statement Beautiful Statement Beautiful Statement Statement Beautiful Statement Beautiful Statement Statement Beautiful Stateme	Examiner Stephen M. Brinich Stephen M. Brinich 2625 ars on the cover sheet with the correspondence address (OR REMAINS) CLOSED in this application. If not included or other appropriate communication will be mailed in due course. THIS GHTS. This application is subject to withdrawal from issue at the initiativ and MPEP 1308. der 35 U.S.C. § 119(a)-(d) or (f). been received. been received in Application No cuments have been received in this national stage application from the of this communication to file a reply complying with the requirements ENT of this application. itted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF its reason(s) why the oath or declaration is deficient. it be submitted. on's Patent Drawing Review (PTO-948) attached is Amendment / Comment or in the Office action of 84(c)) should be written on the drawings in the front (not the back) of the header according to 37 CFR 1.121(d). Sit of BIOLOGICAL MATERIAL must be submitted. Note the FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. 5 Notice of Informal Patent Application 6 Interview Summary (PTO-413),

Application/Control Number: 10/050,175 Page 2

Art Unit: 2625

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

2. The application has been amended as follows: Cancel claims 8-11 & 19-22.

Election/Restrictions

3. This application is in condition for allowance except for the presence of claims 8-11 & 19-22 directed to an invention non-elected without traverse. Accordingly, claims 8-11 & 20-22 have been cancelled.

Allowable Subject Matter

4. Applicant's arguments in the Response filed 12/6/06 (page 9, line 10 - page 10, line 12) with respect to claims 1-4, 7, & 12-15 have been fully considered and are persuasive. The rejection of claim 7 under 35 USC §112 and the rejection of claims 1-2 & 12-13 under 35 USC §102 have been withdrawn. The rejection of claims 3-4 & 14-15 have been obviated by their cancellation.

Application/Control Number: 10/050,175

Art Unit: 2625

Conclusion

5. Any inquiry concerning the contents of this communication or earlier communications from the examiner should be directed to Stephen M. Brinich at 571-272-7430.

Any inquiry relating to the status of this application or proceeding or any inquiry of a general nature concerning application processing should be directed to the Tech Center 2600 Customer Service center at 571-272-2600 or to the USPTO Contact Center at 800-786-9199 or 571-272-1000.

The examiner can normally be reached on weekdays 8:00-5:30, alternate Fridays off.

The examiner's unit designation has been changed from "Art Unit 2624" to "Technology Division 2625" (as of March 20, 2006).

If attempts to contact the examiner and the Customer Service Center are unsuccessful, supervisor David Moore can be contacted at 571-272-7437.

Faxes pertaining to this application should be directed to the Tech Center 2600 official fax number, which is 571-273-8300 (as of July 15, 2005).

Application/Control Number: 10/050,175

Art Unit: 2625

Page 4

Hand-carried correspondence may be delivered to the Customer Service Window, located at the Randolph Building, 401 Dulany Street, Alexandria, VA 22314.

Stephen M Brinich Examiner Technology Division 2625

smb Smb February 28, 2007

RIOMAS D. VEE